



ROOM SCHEDULE

no.	room	m2	Floor number	Floor finish	Wall finish	Ceiling
269	cool entrance	4,15	F2	stone paving	clay plaster	clay plaster
270	entrance hall	20,48	F2/F3	stone paving/ w.planks	clay plaster	clay plaster
271	living room	26,61	F1	wooden planks/ stone	clay plaster	clay plaster
272	dining room	18,88	F1	wooden planks	clay plaster	clay plaster
272.1	terrace	65,18	F7	wooden grid	-	-
273	office	10,06	F1	wooden planks	clay plaster	clay plaster
274	kitchen	13,29	F1	wooden planks	clay plaster	clay plaster (dropped c.)
275	food store	4,02	F1	stone paving	clay plaster	clay plaster (dropped c.)
276	technical room	12,25	F2	stone paving	clay plaster	clay plaster (dropped c.)
277	WC	1,32	F2	stone paving	clay plaster	clay plaster (dropped c.)

THE KEY OF MATERIALS

- BRICKWORK TH.140mm
- BRICKWORK TH.270mm
- CLAY-BRICKWORK TH.140mm
- STONEWORK (EXPOSED) TH.450mm
- AAC BLOCKS (YTONG) TH.75mm
- AAC BLOCKS (YTONG) TH.150mm
- THERMO-INSULATING LOAD-BEARING BLOCK TH.270mm
- THERMO-INSULATING BLOCK TH.150mm
- THERMAL INSULATION - ROCKWOOL
- THERMAL INSULATION - STRAW BALES TH.500mm
bale dimensions: 350x500x700mm, density 90kg/m3
- STRUCTURE WITH TADELAKT FINISH
tadelakt surface (2mm) on base screed (3mm)
- STRUCTURE WITH TADELAKT FINISH
AND LIQUID EPDM WATERPROOFING MEMBRANE
applied beneath the tadelakt base screed (bath, shower)

NOTES:

- N1: Structure of wooden beams supporting balcony. See detail ST23 and Timber structure project for more information.
- N2: For details of supporting structure for outer shell please see Timber structure project.
- N3: Manhole covered with paving (closed with cover with paving on top).
- N4: Manhole closed with cast-iron cover.
- N5: Downspout of sewerage with registration opening above the floor.

Notes:
 1 All work to be done according to current regulations and technology rules, including health and safety.
 2. In case of any doubt, uncertainty or unforeseen circumstances consultation with the architect is needed to clarify progress of work.
 3. Drawing of individual professions and other documentation on the list are part of the main drawing. It is necessary to coordinate building structure drawings and adjustments made by other professions.

+0,000 = 51,55 meters of the survey
 +0,000 = 25,35 meters above the sea

Project: the private house in El Palol property: Mas Palol (Can Fages), municipal area: Torroella de Fluvià, county: l'Alt Empordà, Spain		 ark. arch. Oldřich Hožman Ing. arch. Jan Soukup Ing. Tomas Stopka Profesion: CONSTRUCTION Checked by: arch. Arturo de la Maza Format: A0
Investor: Zain Maitreya, s.l., Margenat 23, 08017 Barcelona, Spain		
Architect: ak. arch. Oldřich Hožman	Drawn by: Ing. arch. Jan Soukup Ing. Tomas Stopka	Project stage: EXECUTIVE PROJECT
Structural engineer: Joan Carles Capllua Ten and Maria Pla Monaco Baques, arquitectes	Checked by: arch. Arturo de la Maza	Scale: 1 : 50
Drawing: GROUND FLOOR PLAN		Date: 07 / 2011
		Drawing number: 09